



ARTUGO 

WATER HEATER

PRODUCT CATALOGUE



RA SERIES



RB SERIES




D SERIES



E SERIES



F SERIES



HE 20

Specifications

ARTNODE Aluminum Anode water tank 270x more durability	ARTCONTROL Remote control for easier temperature setting	DELAYSTART Adjustable time for heating efficiency (RB Series)
ARTENAMEL Enamel heating elements Rust-free & non-corrosive	ARTGUARD ELCB + Double Safety System Dual Overheat Control on thermostat	
ARTSHIELD Plasma welding Single Carbon Dioxide Shield	ARTSAVE Lowest energy consumption at 200 watt	

TYPE	CAPACITY	POWER	WEIGHT	PRODUCT DIMENSION
HE 15 RA	15 L	250 W	11.5 KG	385 X 385 X 315 MM
HE 30 RA	30 L	350 W	15 KG	448 X 448 X 354 MM
HE 15 RB	15 L	250 W	11 KG	410 X 410 X 336 MM
HE 30 RB	30 L	350 W	14 KG	470 X 470 X 375 MM
HE 10 D	10 L	200 W	6.5 KG	335 X 335 X 270 MM
HE 15 D	15 L	300 W	8 KG	355 X 355 X 320 MM
HE 30 D	30 L	600 W	11 KG	435 X 435 X 365 MM
HE 10 E	10 L	200 W	6.5 KG	335 X 335 X 270 MM
HE 15 E	15 L	300 W	8 KG	355 X 355 X 320 MM
HE 30 E	30 L	600 W	11 KG	435 X 435 X 365 MM
HE 10 F	10 L	200 W	6.5 KG	335 X 335 X 270 MM
HE 15 F	15 L	300 W	8 KG	355 X 355 X 320 MM
HE 30 F	30 L	600 W	11 KG	435 X 435 X 365 MM
HE 20	20 L	300 W	11.5 KG	080 X 295 X 246 MM

MECHANICAL ELECTRIC WATER HEATER



A SERIES



B SERIES



C SERIES



Specifications



ARTNODE
Aluminum Anode water tank
270x more durability



ARTSHIELD
Plasma welding
Single Carbon Dioxide Shield



ARTENAMEL
Enamel heating elements
Rust-free & non-corrosive



ARTGUARD
ELCB + Double Safety System
Dual Overheat Control on thermostat

TYPE	CAPACITY	POWER	WEIGHT	PRODUCT DIMENSION
HE 10 A	10 L	250 W	7.7 KG	328 X 328 X 303 MM
HE 15 A	15 L	350 W	12 KG	385 X 385 X 313 MM
HE 30 A	30 L	800 W	14 KG	448 X 448 X 345 MM
HE 10 B	10 L	250 W	7.7 KG	328 X 328 X 303 MM
HE 15 B	15 L	350 W	12 KG	385 X 385 X 313 MM
HE 30 B	30 L	800 W	14 KG	448 X 448 X 345 MM
HE 10 C	10 L	200 W	6.5 KG	335 X 335 X 270 MM
HE 15 C	15 L	300 W	8 KG	355 X 355 X 320 MM
HE 30 C	30 L	600 W	11 KG	435 X 435 X 365 MM

GAS WATER HEATER



HG 6 A



HG 6 B



LOWPRESSURE
0.015 - 0.8 Mpa



**TEMPERATURE
DISPLAY**

TYPE	CAPACITY	AUTO CUT-OFF	AUTO IGNITION	WEIGHT	PRODUCT DIMENSION
HG 6 A	6 L	YES (20 MINUTES)	✓	4.5 KG	300 X 130 X 440 MM
HG 6 B	6 L	YES (20 MINUTES)	✓	4.5 KG	300 X 130 X 440 MM